### **Field Services**

Tom Hoerig





## **De-Rates**

- Waiting for the inspector
- Web-ex inspections
- Missing or incorrect parts
- Volume of De-rates



Crew	Shift -	
(Planned)	02-11-2020 07:00AM	
Planned)	02-11-2020 07:00AM	
(Planned)	02-11-2020 07:00AM	
(Planned)	02-11-2020 07:00AM	
(Planned)	02-11-2020 07:00AM	

00-00	02-00	10-00	12-00	44-00	40.00	49-00
06:00	08:00	10:00	12:00	14:00	16:00	18:00
	EX SLRDI	EX ÉP5 EX-É	"⊉L <mark>ISLRDI</mark> EX — É	EX-P5-16-IN	EX	
-	P5 E) E) S		P5 🛱 LI P5-IN ËIN	1212-IN-IN		
(4	ÉÉ					
-	IN SLRD S		ÜUÐ SLRD-Ű	D-EP5EP5	P5	
-	P Z III SLR	-SLR É E IN-	- Öleee (	<b>⋫</b> - <b>ЕЕ⋫⋫</b> ЕЕ	P	
-	SLRDF E	SLRDF 🛃 SLRDF	ÖUEX P5 EX ÖE	X-POEX-EX-	2	
-		P5 E> <u>É</u> P5 P5 P5		E E P5		
-	EX- P5 P5	- <b>  E č</b> e - e x	- <u>ö</u> u <u>N</u> -é	EX P5 EX	P5 P5 EX	
ł	ÉÓ					
-		SLRD 🖞 💆 L SI	LRD - SLRD - 🗂 SLRD	DP(-DDD	- Ð - Ð - IN - IN	
-	MEX-M-E	EX EX EX EX EX EX	ÖLEX EX EX ŐEX	EX EX EX EX - B2	-IN: B2	
-	PI PI PI	PI PI 🖞 PI PI PI PI P	ŐUPPPPŐP	PI PI PI PI PI PI PI PI	PIPIPIPIPI	
-	ED SLRD		5 🛱 LI E) - P5 P5 🛱 P	25 P5-E)-P5-		



### Line Side Tap





#### Wire Connector 25003480














## **Meter Set Failures**

- Labeling is one of the most common reasons for a solar system to fail for meter sets.
- We require production sockets and disconnects to be labeled clear and concise.
- Line side tap labeling.
- Wiring meter sockets and the UDS.






























































# **Serviceman Feedback**

- De-Rate employees are not properly trained for changing out customers main breaker.
- Learn as you go training.
- Solar tech unable to re-secure new main breaker.



### **Wasted Truck Rolls**

- Cost
- Customer Expectation
- Lost Production
- Missing/ Wrong Parts
- Incomplete Installation



### **Questions?**